

Product datasheet for TA384391

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

H3FT (HIST3H3) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, WB

Recommended Dilution: WB: 1/500-1/2000

ICC/IF: 1/50-1/200

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: A synthesized peptide derived from human Histone H3 (mono methyl R2) (Methylated)

Formulation: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50%

glycerol.

Concentration: lot specific

Purification: Affinity Chromatography

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year
Predicted Protein Size: 15kDa

Gene Name: histone cluster 3, H3

Database Link: Entrez Gene 8290 Human

P68431

Background: Swiss-Prot Acc.P68431.H3 Core component of nucleosome. Nucleosomes wrap and compact

DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of


post-translational modifications of histones, also called histone code, and nucleosome remodeling. The nucleosome is a histone octamer containing two molecules each of H2A, H2B, H3 and H4 assembled in one H3-H4 heterotetramer and two H2A-H2B heterodimers.

Synonyms: H3.4; H3/g; H3/t; H3FT; H3t; MGC126886; MGC126888





Product images:



Western blot analysis of Histone H3 (mono methyl R2) in HeLa lysates using MonoMethyl-Histone H3 (Arg2) antibody.