

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA384444S

# Heme Oxygenase 1 (HMOX1) Rabbit Monoclonal Antibody [Clone ID: R02-6C1]

## **Product data:**

| Product Type:           | Primary Antibodies   |
|-------------------------|--|
| Clone Name:             | R02-6C1  |
| Applications:           | IF, IHC, IP, WB  |
| Recommended Dilution:   | WB: 1/1000<br>IHC: 1/50<br>ICC/IF: 1/50<br>IP: 1/20  |
| Reactivity:             | Human, Mouse, Rat  |
| Host:                   | Rabbit   |
| lsotype:                | IgG  |
| Clonality:              | Monoclonal   |
| Immunogen:              | Recombinant protein of mouse Heme Oxygenase 1  |
| Formulation:            | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA  |
| Concentration:          | lot specific   |
| Purification:           | Affinity Purified  |
| Conjugation:            | Unconjugated   |
| Storage:                | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.   |
| Stability:              | 1 year   |
| Predicted Protein Size: | Calculated MW: 33 kDa; Observed MW: 33 kDa   |
| Gene Name:              | heme oxygenase 1   |
| Database Link:          | <u>Entrez Gene 3162 Human</u><br><u>P09601</u>   |
| Background:             | Swiss-Prot Acc.P09601.Heme oxygenase cleaves the heme ring at the alpha methene bridge<br>to form biliverdin. Biliverdin is subsequently converted to bilirubin by biliverdin reductase.<br>Under physiological conditions, the activity of heme oxygenase is highest in the spleen,<br>where senescent erythrocytes are sequestrated and destroyed. Exhibits cytoprotective effects<br>since excess of free heme sensitizes cells to undergo apoptosis. |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Synonyms:


### bK286B10; HO; HO-1; HO1; HSP32

# **Product images:**




Western blot detection of Heme Oxygenase 1 in Rat spleen lysates using Heme Oxygenase 1 antibody.Predicted band size:33kDa.Observed band size:33kDa.

Mouse spleen




Western blot detection of Heme Oxygenase 1 in Mouse spleen lysates using Heme Oxygenase 1 Rabbit mAb(1:1000 diluted).Predicted band size:33KDa.Observed band size:33KDa.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Western blot detection of Heme Oxygenase 1 in U251MG,K562,A549 cell lysates using Heme Oxygenase 1 Rabbit mAb(1:500 diluted).Predicted band size:33kDa.Observed band size:33kDa.



Immunohistochemistry of Heme Oxygenase 1 in paraffin-embedded Human lung cancer tissue using Heme Oxygenase 1 Rabbit mAb at dilution 1/5

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US