

### Product datasheet for TA384462M

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **GRP78 (HSPA5) Mouse Monoclonal Antibody [Clone ID: 6H7-4B1-9H4]**

### **Product data:**

**Product Type:** Primary Antibodies

**Clone Name:** 6H7-4B1-9H4

**Applications:** IHC, WB

Recommended Dilution: WB: 1/1000-2000

IHC: 1/100-200

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

**Immunogen:** Synthetic peptide conjugated to KLH.

**Formulation:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.03% Proclin 300, pH 7.3.

**Concentration:** lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year Predicted Protein Size: 78kDa

**Gene Name:** heat shock protein family A (Hsp70) member 5

Database Link: Entrez Gene 3309 Human

P11021

**Background:** Swiss-Prot Acc.P11021.Plays a role in facilitating the assembly of multimeric protein

complexes inside the endoplasmic reticulum. Involved in the correct folding of proteins and degradation of misfolded proteins via its interaction with DNAJC10, probably to facilitate the


release of DNAJC10 from its substrate.

Synonyms: BiP; FLJ26106; GRP78; MIF2






# **Product images:**




Immunoprecipitation analysis of Hela cell lysates using Bip/GRP78 (6H7) Mouse mAb.




Western blot detection of Bip/GRP78 in Jurkat,MCF7,SKBR-3,Hela cell lysates using Bip/GRP78 (6H7) Mouse mAb(1:2000 diluted).Predicted band size:78KDa.Observed band size:78KDa.






Western blot detection of Bip/GRP78 (6H7) in CHO-K1,Rat brain,C6,3T3,Hela cell lysates using Bip/GRP78 (6H7) antibody. Observed band size:78kDa.




Immunohistochemical analysis of paraffinembedded Human Colon Caricnoma using GRP78/BipMouse mAb diluted at 1:200.



Immunohistochemical analysis of paraffinembedded Human Breast Caricnoma using GRP78/BipMouse mAb diluted at 1:200.





Immunocytochemistry staining of HeLa cells using Bip/GRP78 (6H7) Mouse mAb(dilution 1:100).