

### **Product datasheet for TA384473S**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HTA2 Rabbit Monoclonal Antibody [Clone ID: R08-1A5]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: R08-1A5

Applications: WB

**Reactivity:** WB: 1/1000 Human, Rat

**Host:** Rabbit

**Isotype:** IgG

Clonality: Monoclonal

**Immunogen:** A synthetic peptide of Histone H2A

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

**Concentration:** lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 14 kDa; Observed MW: 14 kDa

Database Link: P04912

**Background:** Swiss-Prot Acc.P04912.Core component of nucleosome which plays a central role in DNA

double strand break (DSB) repair. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication


and chromosomal stability. DNA accessibility is regulated via a complex set of post-

translational modifications of histones, also called histone code, and nucleosome remodeling.





# **Product images:**



Western blot analysis of Histone H2A in K562, C6 lysates using Histone H2A antibody.