

Product datasheet for TA384524

IL28A Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: WB: 1/500-1/2000

IHC-p: 1/100-1/300 ELISA: 1/20000

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: The antiserum was produced against synthesized peptide derived from the C-terminal region

of human IL28A. AA range:131-180

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Observed MW (kDa):25

Database Link: Q8IZJ0

Background: Swiss-Prot Acc.Q8IZI0.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Western blot analysis of IL-28 in MCF-7 lysates using IL-28 antibody.




Immunohistochemistry analysis of paraffinembedded Human tonsil using IL-28 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.






Immunohistochemistry analysis of paraffinembedded Human tonsil using IL-28 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.




Immunohistochemistry analysis of paraffinembedded Human tonsil using IL-28 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffinembedded Human spleen using IL-28 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Immunohistochemistry analysis of paraffinembedded Human spleen using IL-28 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.