

Product datasheet for TA384707S

MEK1 (MAP2K1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, IP, WB **Recommended Dilution:** WB: 1/1000

IHC: 1/100-1/500 ICC/IF: 1/50-1/100 IP: 1/50-1/100

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: A synthesized peptide derived from human MEK1/2

Formulation: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50%

glycerol.

Concentration: lot specific

Purification: Affinity Chromatography

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year Predicted Protein Size: 44kDa

Gene Name: mitogen-activated protein kinase kinase 1

Database Link: Entrez Gene 5604 Human

Q02750

Background: Swiss-Prot Acc.Q02750,P36507.Dual specificity protein kinase which acts as an essential

component of the MAP kinase signal transduction pathway. Binding of extracellular ligands such as growth factors, cytokines and hormones to their cell-surface receptors activates RAS and this initiates RAF1 activation. RAF1 then further activates the dual-specificity protein

kinases MAP2K1/MEK1 and MAP2K2/MEK2.

Synonyms: MAPKK1; MEK1; MKK1; PRKMK1




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Western blot analysis of MEK1/2 in (1) 293T lysates; (2) A549 lysates using MEK1/2 antibody.



Immunohistochemistry analysis of paraffinembedded Human kidney using MEK1/2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.





Immunofluorescence analysis of MEK1/2 in Hela using MEK1/2 antibody.