

## **Product datasheet for TA384876**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### TTF1 (NKX2-1) Rabbit Monoclonal Antibody [Clone ID: R02-6A5]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: R02-6A5
Applications: IHC, IP, WB
Recommended Dilution: WB: 1/1000

IHC: 1/50-1/100

IP: 1/20

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human TTF1

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

**Concentration:** lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 39 kDa; Observed MW: 39 kDa

Gene Name: NK2 homeobox 1

Database Link: Entrez Gene 7080 Human

P43699

**Background:** Swiss-Prot Acc.P43699.Transcription factor that binds and activates the promoter of thyroid

specific genes such as thyroglobulin, thyroperoxidase, and thyrotropin receptor. Crucial in

the maintenance of the thyroid differentiation phenotype. May play a role in lung development and surfactant homeostasis. Forms a regulatory loop with GRHL2 that

coordinates lung epithelial cell morphogenesis and differentiation. Activates the transcription

of GNRHR and plays a role in enhancing the circadian oscillation of its gene expression.

Represses the transcription of the circadian transcriptional repressor NR1D1.







Synonyms:

BCH; BHC; NK-2; NKX2.1; NKX2A; TEBP; TITF1; TTF-1; TTF1

# **Product images:**




Western blot analysis of TTF1 in rat brain lysates using Thyroid Transcription Factor 1 antibody.



Western blot analysis of TTF1 in 3T3 lysates using TTF1 antibody.





Immunohistochemistry analysis of paraffinembedded Human lung cancer using TTF1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.