

Product datasheet for TA384911

oprk1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: WB: 1/500-1/2000

IHC: 1/100-1/300 ELISA: 1/10000

Reactivity: Mouse, Rat

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: The antiserum was produced against synthesized peptide derived from mouse KOR-1 around

the phosphorylation site of Ser369. AA range:331-380 (Phosphorylated)

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Concentration: lot specific

Purification: Affinity Chromatography

Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Observed MW (kDa):42

Database Link: P41145



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Endogenous opioid peptides and opiates, like morphine, transmit their pharmacological effects through membrane bound opioid receptors. Pharmacological studies and molecular cloning have led to the identification of three different types of opioid receptor, mu-type, delta-type and kappa-type, also designated MOR-1, DOR-1 and KOR-1, respectively. MOR-1 is a receptor for beta-endorphin, DOR-1 is a receptor for enkephalins, and KOR-1 is a receptor for dynorphins. The three opioid receptor types are highly homologous and belong to the superfamily of G-protein-coupled receptors. Opioid receptors have been shown to modulate a range of brain functions, including instinctive behavior and emotions. This regulation is thought to involve the inhibition of neurotransmitter release by reducing calcium ion currents and increasing potassium ion conductance.

Product images:




Western blot analysis of Phospho-kappa Opioid Receptor (Ser369) in various lysates using Phospho-kappa Opioid Receptor (Ser369) antibody.




Western blot analysis of Phospho-kappa Opioid Receptor (Ser369) in rat kidney lysates using Phospho-KOR1 (S369) antibody.





Western blot analysis of Phospho-kappa Opioid Receptor (Ser369) in NIH/3T3 lysates using Phospho-kappa Opioid Receptor (Ser369) antibody.The lane on the right is blocked with the Phospho-peptide.



Immunohistochemistry analysis of paraffinembedded Human brain using Phospho-kappa Opioid Receptor (Ser369) antibody. High-pressure and temperature Tris-EDTA pH 8.0 was used for antigen retrieval. Sample with blocking peptide on the right.