

## **Product datasheet for TA385066M**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PSMB10 Rabbit Monoclonal Antibody [Clone ID: R08-615]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: R08-615

Applications: IHC, WB

Recommended Dilution: WB: 1/1000

IHC: 1/20

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

**Immunogen:** A synthetic peptide of human PSMB10

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

**Concentration:** lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 29 kDa; Observed MW: 29 kDa

Gene Name: proteasome subunit beta 10

Database Link: Entrez Gene 5699 Human

P40306

**Background:** Swiss-Prot Acc.P40306.The proteasome is a multicatalytic proteinase complex which is

characterized by its ability to cleave peptides with Arg, Phe, Tyr, Leu, and Glu adjacent to the

leaving group at neutral or slightly basic pH. The proteasome has an ATP-dependent

proteolytic activity. This subunit is involved in antigen processing to generate class I binding


peptides.

Synonyms: beta2i; LMP10; MECL1; MGC1665







# **Product images:**



Western blot analysis of PSMB10 in mouse spleen lysates using PSMB10 antibody.



Western blot analysis of PSMB10 in C6, Hela lysates using PSMB10 antibody.



Immunohistochemistry analysis of paraffinembedded Human lung cancer using PSMB10 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

