

Product datasheet for TA385225S

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Semaphorin 4D (SEMA4D) Rabbit Monoclonal Antibody [Clone ID: R05-2E3]

Product data:

Product Type: Primary Antibodies

Clone Name: R05-2E3
Applications: IF, WB

Recommended Dilution: WB: 1/1000-1/5000

ICC/IF: 1/20-1/100

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human Semaphorin 4D

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 96 kDa; Observed MW: 120 kDa

Gene Name: semaphorin 4D

Database Link: <u>Entrez Gene 10507 Human</u>

Q92854

Background: Swiss-Prot Acc.Q92854.Cell surface receptor for PLXN1B and PLXNB2 that plays an important

role in cell-cell signaling. Promotes reorganization of the actin cytoskeleton and plays a role in axonal growth cone guidance in the developing central nervous system. Regulates dendrite and axon branching and morphogenesis. Promotes the migration of cerebellar granule cells and of endothelial cells. Plays a role in the immune system; induces B-cells to aggregate and improves their viability (in vitro). Promotes signaling via SRC and PTK2B/PYK2, which then mediates activation of phosphatidylinositol 3-kinase and of the AKT1 signaling cascade.

Interaction with PLXNB1 mediates activation of RHOA.







Synonyms:

A8; BB18; C9orf164; CD100; coll-4; FLJ33485; FLJ34282; FLJ39737; FLJ46484; GR3; M-sema-G; MGC169138; MGC169141; OTTHUMP0000021622; OTTHUMP00000208950; OTTHUMP00000208951; OTTHUMP00000208957; SEMAJ

Product images:



Western blot analysis of Semaphorin 4D/CD100 in Jurkat lysates using Semaphorin 4D/CD100 antibody.



Immunocytochemistry analysis of Semaphorin 4D (green) in Jurkat using Semaphorin 4D antibody, and DAPI(blue).