

Product datasheet for TA385266S

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

SMAD2 Rabbit Monoclonal Antibody [Clone ID: R03-3F8]

Product data:

Product Type: Primary Antibodies

Clone Name: R03-3F8

Applications: IF, IHC, IP, WB

Recommended Dilution: WB: 1/1000-1/5000

IHC: 1/20

ICC/IF: 1/20-1/100

IP: 1/20

Reactivity: Human, Rat, Hamster

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human Smad2

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 52 kDa; Observed MW: 52 kDa

Gene Name: SMAD family member 2

Database Link: Entrez Gene 4087 Human

Q15796






Background:

Swiss-Prot Acc.Q15796.Receptor-regulated SMAD (R-SMAD) that is an intracellular signal transducer and transcriptional modulator activated by TGF-beta (transforming growth factor) and activin type 1 receptor kinases. Binds the TRE element in the promoter region of many genes that are regulated by TGF-beta and, on formation of the SMAD2/SMAD4 complex, activates transcription. May act as a tumor suppressor in colorectal carcinoma. Positively regulates PDPK1 kinase activity by stimulating its dissociation from the 14-3-3 protein YWHAQ which acts as a negative regulator.


Synonyms:

hMAD-2; hSMAD2; JV18; JV18-1; MADH2; MADR2; MGC22139; MGC34440

Product images:




Western blot detection of Smad2 in C6 lysates using Smad2 antibody.Predicted band size:52kDa.Observed band size:52kDa.




Western blot detection of Smad2 in Hela,CHO-K1,Jurkat cell lysates using Smad2 Rabbit mAb(1:500 diluted).Predicted band size:52kDa.Observed band size:52kDa.





Immunohistochemistry of Smad2 in paraffinembedded Human lung cancer tissue using Smad2 Rabbit mAb at dilution 1/50



Immunocytochemistry analysis of Smad2 (green) in Hela using Smad2 antibody, and DAPI(blue).