

## **Product datasheet for TA385375**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# **TAF1C Rabbit Monoclonal Antibody [Clone ID: R08-2B9]**

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: R08-2B9
Applications: IP, WB

Recommended Dilution: WB: 1/1000

IP: 1/20

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Monoclonal

**Immunogen:** A synthetic peptide of human TAF1C

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

**Concentration:** lot specific

Purification: Affinity Purified Conjugation: Unconjugated

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 95 kDa; Observed MW: 95 kDa

Gene Name: TATA-box binding protein associated factor, RNA polymerase I subunit C

Database Link: Entrez Gene 9013 Human

Q15572

**Background:** Swiss-Prot Acc.Q15572.Component of the transcription factor SL1/TIF-IB complex, which is

involved in the assembly of the PIC (preinitiation complex) during RNA polymerase I-dependent transcription. The rate of PIC formation probably is primarily dependent on the rate of association of SL1/TIF-IB with the rDNA promoter. SL1/TIF-IB is involved in stabilization of nucleolar transcription factor 1/UBTF on rDNA. Formation of SL1/TIF-IB excludes the

association of TBP with TFIID subunits. Recruits RNA polymerase I to the rRNA gene promoter

via interaction with RRN3.






Synonyms:

MGC:39976; SL1; TAFI95; TAFI110

# **Product images:**



Western blot analysis of TAF1C in K562 lysates using TAF1C antibody.