

Product datasheet for TA385487M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

alpha Tubulin (TUBA4A) Rabbit Monoclonal Antibody [Clone ID: R02-2H3]

Product data:

Product Type: Primary Antibodies

Clone Name: R02-2H3

Applications: IF, IHC, IP, WB

Recommended Dilution: WB: 1/2000

IHC: 1/20 ICC/IF: 1/20 IP: 1/20

Reactivity: Human, Mouse, Rat, Hamster

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human alpha Tubulin

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 50 kDa; Observed MW: 50 kDa

Gene Name: tubulin alpha 4a

Database Link: Entrez Gene 7277 Human

P68366

Background: Swiss-Prot Acc.P68366.Tubulin is the major constituent of microtubules. It binds two moles of

GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on

the alpha chain. Miscellaneous This tubulin does not have a C-terminal


tyrosine.RegionsFeature keyPosition(s)Description

Synonyms: FLJ30169; H2-ALPHA; TUBA1






Product images:




Western blot analysis of alpha Tubulin in mouse brain, 3T3 lysates using alpha Tubulin antibody.




Western blot analysis of alpha Tubulin in Hela, CHO-K1, rat Brain lysates using alpha Tubulin antibody.





Immunohistochemistry analysis of paraffinembedded Human tonsil using alpha Tubulin antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunocytochemistry analysis of alpha Tubulin (green) in hela using alpha Tubulin antibody,and DAPI(blue).