

Product datasheet for TA385488M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

beta III Tubulin (TUBB3) Rabbit Monoclonal Antibody [Clone ID: R08-6A3]

Product data:

Product Type: Primary Antibodies

Clone Name: R08-6A3

Applications: IF, IHC, IP, WB

Recommended Dilution: WB: 1/1000-1/5000

IHC: 1/20-1/50 ICC/IF: 1/50-1/100

IP: 1/20

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: A synthetic peptide of human beta III Tubulin

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

Concentration: lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

Predicted Protein Size: Calculated MW: 50 kDa; Observed MW: 50 kDa

Gene Name: tubulin beta 3 class III

Database Link: Entrez Gene 10381 Human

Q13509

Background: Swiss-Prot Acc.Q13509.Tubulin is the major constituent of microtubules. It binds two moles

of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on


the alpha chain. TUBB3 plays a critical role in proper axon guidance and mantainance.

Synonyms: beta-4; MC1R; TUBB4






Product images:




Western blot analysis of beta III Tubulin in A549, mouse brain lysates using beta III Tubulin antibody.




Western blot analysis of beta III Tubulin in rat Brain lysates using beta III Tubulin antibody.





Immunohistochemistry analysis of paraffinembedded Human colon cancer using beta III Tubulin antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunocytochemistry analysis of beta III Tubulin(green) in Hela using beta III Tubulin antibody,and DAPI(blue)