

## **Product datasheet for TA385502S**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### TXNRD1 Rabbit Monoclonal Antibody [Clone ID: R01-814]

#### **Product data:**

**Product Type:** Primary Antibodies

Clone Name: R01-8I4

**Applications:** IF, IHC, IP, WB

Recommended Dilution: WB: 1/1000-1/5000

IHC: 1/20

ICC/IF: 1/20-1/100

IP: 1/20

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Monoclonal

Immunogen: Recombinant protein of human TXNRD1

Formulation: 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA

**Concentration:** lot specific

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Stability: 1 year

**Predicted Protein Size:** Calculated MW: 67 kDa; Observed MW: 55 kDa

Gene Name: thioredoxin reductase 1

Database Link: Entrez Gene 7296 Human

Q16881

**Background:** Swiss-Prot Acc.Q16881.Isoform 1 may possess glutaredoxin activity as well as thioredoxin

reductase activity and induces actin and tubulin polymerization, leading to formation of cell membrane protrusions. Isoform 4 enhances the transcriptional activity of estrogen receptors alpha and beta while isoform 5 enhances the transcriptional activity of the beta receptor only. Isoform 5 also mediates cell death induced by a combination of interferon-beta and retinoic

acid.







Synonyms:

GRIM-12; KDRF; MGC9145; oxidoreductase; TR; TR1; TRXR1; TXNR

# **Product images:**




Western blot analysis of TXNRD1 in 3T3 lysates using Thioredoxin Reductase 1 antibody.




Western blot analysis of TXNRD1 in K562, Hela lysates using TXNRD1 antibody.





Immunohistochemistry analysis of paraffinembedded Human lung cancer using TXNRD1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunocytochemistry analysis of TXNRD1(green) in Hela using TXNRD1 antibody, and DAPI(blue).