

Product datasheet for TA386100

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD16 Mouse Monoclonal Antibody [Clone ID: 3G8]

Product data:

Product Type: Primary Antibodies

Clone Name: 3G8

Applications: BI, FC, IHC, IP

Reactivity: Human, Chimpanzee, Baboon, Cynomolgus, Monkey, Macaque, Marmoset

Host: Mouse

Isotype: IgG1, kappa
Clonality: Monoclonal

Immunogen: 3G8 was prepared by immunizing mice with human PMN (polymorphonuclear leukocytes)

cells.

Specificity: 3G8 binds to CD16 at an epitope which is not the IgG-binding site. This antibody cannot

distinguish between CD16a transmembrane isoform found on the surface of NK cells and macrophages (which can trigger the cytolytic response), and the GPI-linked CD16b isoform present on neutrophils or soluble CD16 found in the plasma. CD16 is the low affinity IgG receptor III and binds to aggregated IgG or IgG-antigen complex which functions in NK cell stription, the stransfer and ADCC (certified by demandant cell resoluted at the top is in the contraction).

activation, phagocytosis and ADCC (antibody-dependent cell-mediated cytotoxicity).

3G8 antibody was used to construct a recombinant bispecific scFv (bsscFv) along with the mAb clone F3.3 anti-HLA class II antibody (connected by a (Gly4Ser)4 linker)which was

expressed in SF21 insect cells. This bsscFv allows NK cells to target malignant B lymphoid cells and mediates effector cell lysis (ASCC) of the malignant cells (also lysis of primary leukaemia

samples). 3G8 is also able to block neutrophil phagocytosis and stimulates NK cell

proliferation, and can be used in FC, SPR, IP and IHC studies.

Formulation: PBS with 0.02% Proclin 300.

Concentration: lot specific

Conjugation: Unconjugated

Storage: Please store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C. Avoid

freeze and thaw cycles.

Stability: 3 years from dispatch.

