

Product datasheet for TA386113

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD98 (SLC3A2) Rabbit Monoclonal Antibody [Clone ID: HBJ127]

Product data:

Product Type: Primary Antibodies

Clone Name: HBJ127

Applications: BI, ELISA, IF

Reactivity: Human

Host: Rabbit

Isotype: IgG, kappa
Clonality: Monoclonal

Immunogen: HBJ127 was obtained from hybridomas generated by the fusion of mouse myeloma cells and

spleen cells from mice which had been immunized with T24 hyman bladder cancer cells.

Specificity: HBJ127 binds to the CD98 heavy chain at an epitope consisting of residues AFS (aa 442-444)

(Itoh et al, 2007). The antibody has not been shown to cross-react with other species. CD98 is expressed at high levels on monocytes and at very low level on peripheral blood T and B lymphocytes, splenocytes, NK cells and granulocytes. CD98 is a disulfide-linked and glycosylated type II integral membrane protein. This protein has roles in normal and neoplastic cell growth and is required for the function of light chain amino acid transporters.

It is also involved in sodium-independent transport of large neitral amino acids and in guiding and targeting LAT1 and LAT2 to the plasma membrane. When associated with SLC7A6 or

SLC7A7, CD98 acts as an arginine/glutamine exchanger.

HBJ127 can inhibit lymphocyte activation and proliferation in vitro (Yagita and Hashimoto, 1986), as well as inhibit the growth of human bladder tumors (Yagita, 1986). The antibody also mediates the inhibition of DNA synthesis of Con A-stimulated lymphocytes at concentrations greater than 13 μ g/ml, the inhibition of mAB 6-1-13-induced c-src expression and the inhibition of mAb 6-1-13-induced polykaryocyte formation. In addition, HBJ127 can enhance expression of the mannose receptor on the surface of monocytes derived from healthy humans. HBJ127 shows positive staining of murine L929 cells transiently expressing human CD98 heavy chain in IF studies. The antibody can also be used to detect CD98 heavy

chain by ELISA.

Formulation: PBS with 0.02% Proclin 300.

Concentration: lot specific





CD98 (SLC3A2) Rabbit Monoclonal Antibody [Clone ID: HBJ127] - TA386113

Conjugation: Unconjugated

Storage: Please store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C. Avoid

freeze and thaw cycles.

Stability: 3 years from dispatch.

Gene Name: solute carrier family 3 member 2

Database Link: Entrez Gene 6520 Human

P08195

Synonyms: 4F2; 4F2HC; 4T2HC; CD98; CD98HC; MDU1; NACAE

Note: This chimeric rabbit antibody was made using the variable domain sequences of the original

Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.