

## **Product datasheet for TA386547M**

## **ETFA Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Electron transfer flavoprotein subunit alpha, mitochondrial protein (1-

333AA)

**Formulation:** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:** lot specific

**Purification:** Antigen Affinity Purified

**Conjugation:** Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: P13804

**Background:** The electron transfer flavoprotein serves as a specific electron acceptor for several

dehydrogenases, including five acyl-CoA dehydrogenases, glutaryl-CoA and sarcosine

dehydrogenase. It transfers the electrons to the main mitochondrial respiratory chain via ETF-

ubiquinone oxidoreductase (ETF dehydrogenase).




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human colon cancer using [TA386547] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human kidney tissue using [TA386547] at dilution of 1:100





Western blot

All lanes: ETFA antibody at 4.34µg/ml

Lane 1: A431 whole cell lysate

Lane 2: Hela whole cell lysate

Lane 3: K562 whole cell lysate

Lane 4: A549 whole cell lysate

Lane 5: HepG2 whole cell lysate

Lane 6: MCF-7 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 36, 31 kDa Observed band size: 36 kDa