

## **Product datasheet for TA386626**

## Troduct datastreet for TASOGOZ

## **ZMYND10 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200

**Reactivity:** Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant Human Zinc finger MYND domain-containing protein 10 protein (201-440AA)

**Formulation:** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:** lot specific

**Purification:** Antigen Affinity Purified

Conjugation: Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: 075800

**Background:** Required for motile ciliary function. Probably involved in axonemal assembly of inner and

outer dynein arms (IDA and ODA, respectively) for proper axoneme building for cilia motility.

May act by indirectly regulating transcription of dynein proteins.




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human testis tissue using TA386626 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human lung cancer using TA386626 at dilution of 1:100





Western blot

All lanes: ZMYND10 antibody at 8µg/ml

Lane 1: A549 whole cell lysate Lane 2: Mouse kidney tissue

Lane 3: Mouse skeletal muscle tissue

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 51, 50 kDa Observed band size: 51 kDa