

Product datasheet for TA386644M

Product data:

Product Type: Primary Antibodies

H1-2 Rabbit Polyclonal Antibody

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:100-1:1000, IHC:1:20-1:200

Reactivity: Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Peptide sequence around site of Lys (33) derived from Human Histone H1.2

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Concentration: lot specific

Purification: Antigen Affinity Purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: P16403

Background: Histone H1 protein binds to linker DNA between nucleosomes forming the macromolecular

structure known as the chromatin fiber. Histones H1 are necessary for the condensation of nucleosome chains into higher-order structured fibers. Acts also as a regulator of individual gene transcription through chromatin remodeling, nucleosome spacing and DNA methylation

(By similarity).




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Immunohistochemistry of paraffin-embedded human lung cancer using [TA386644] at dilution of 1:100



Western Blot

Positive WB detected in: MCF-7 whole cell lysate, Mouse brain tissue, Mouse liver tissue All lanes: HIST1H1C antibody at 0.3µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 22 kDa Observed band size: 22 kDa