

Product datasheet for TA386666M

H1-2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ChIP Recommended Dilution: ChIP Reactivity: Human Rabbit Host:

Isotype: lgG

Clonality: Polyclonal

Immunogen: Peptide sequence around site of 2-hydroxyisobutyryl-Lys (80) derived from Human Histone

H1.2

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Concentration: lot specific

Purification: Antigen Affinity Purified

Conjugation: Unconjugated

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Storage:

1 year from dispatch. Stability:

Database Link: P16403

Background: Histone H1 protein binds to linker DNA between nucleosomes forming the macromolecular

> structure known as the chromatin fiber. Histones H1 are necessary for the condensation of nucleosome chains into higher-order structured fibers. Acts also as a regulator of individual gene transcription through chromatin remodeling, nucleosome spacing and DNA methylation

(By similarity).




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Chromatin Immunoprecipitation Hela (10^6 , treated with 30mM sodium butyrate for 4h) were treated with Micrococcal Nuclease, sonicated, and immunoprecipitated with 5µg anti-HIST1H1C ([TA386666]) or a control normal rabbit IgG. The resulting ChIP DNA was quantified using real-time PCR with primers against the β -Globin promoter.