

Product datasheet for **TA386904**

DCTN6 Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, IP, WB
Recommended Dilution:	Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200, IP:1:200-1:2000
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human Dynactin subunit 6 protein (1-190AA)
Formulation:	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Concentration:	lot specific
Purification:	Antigen Affinity Purified
Conjugation:	Unconjugated
Storage:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Stability:	1 year from dispatch.
Database Link:	O00399
Background:	centrosome, cytosol, antigen processing and presentation of exogenous peptide antigen via MHC class II, ER to Golgi vesicle-mediated transport




[View online »](#)


Product images:




Immunohistochemistry of paraffin-embedded human gastric cancer using TA386904 at dilution of 1:100



Immunoprecipitating DCTN6 in A549 whole cell lysate
 Lane 1: Rabbit control IgG instead of (1µg) instead of TA386904 in A549 whole cell lysate. For western blotting, a HRP-conjugated light chain specific antibody was used as the Secondary antibody (1/50000)
 Lane 2: TA386904 (4µg) + A549 whole cell lysate (500µg)
 Lane 3: A549 whole cell lysate (20µg)



Immunohistochemistry of paraffin-embedded human kidney tissue using TA386904 at dilution of 1:100



Western blot
All lanes: DCTN6 antibody at 3.5 µg/ml
Lane 1: A549 whole cell lysate
Lane 2: U251 whole cell lysate
Secondary
Goat polyclonal to rabbit IgG at 1/10000 dilution
Predicted band size: 21 kDa
Observed band size: 21, 40 kDa