

Product datasheet for TA386906M

Froduct datasifeet for TAS60900N

SLC33A1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

Reactivity: Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Acetyl-coenzyme A transporter 1 protein (1-74AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Concentration: lot specific

Purification: >95%, Protein G purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: 000400

Background: Probable acetyl-CoA transporter necessary for O-acetylation of gangliosides

(PubMed:9096318). Negatively regulates BMP signaling (PubMed:25402622).


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Western Blot

Positive WB detected in: A549 whole cell lysate, HepG2 whole cell lysate, Mouse liver tissue, Mouse kidney tissue, Mouse brain tissue All lanes: SLC33A1 antibody at 2.5µg/ml Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 61 kDa Observed band size: 50 kDa



Immunohistochemistry of paraffin-embedded human thyroid tissue using [TA386906] at dilution of 1:100





Immunohistochemistry of paraffin-embedded human kidney tissue using [TA386906] at dilution of 1:100