

## Product datasheet for **TA386985**


### FOXK1 Rabbit Polyclonal Antibody

#### Product data:


Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200, IF:1:50-1:200
Reactivity:	Mouse, Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human Forkhead box protein K1 protein (621-730AA)
Formulation:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Concentration:	lot specific
Purification:	>95%, Protein G purified
Conjugation:	Unconjugated
Storage:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Stability:	1 year from dispatch.
Database Link:	<a href="#">P85037</a>
Background:	Transcriptional regulator that binds to the upstream enhancer region (CCAC box) of myoglobin gene. Has a role in myogenic differentiation and in remodeling processes of adult muscles that occur in response to physiological stimuli (By similarity).




[View online »](#)

**Product images:**


Immunohistochemistry of paraffin-embedded human pancreatic cancer using TA386985 at dilution of 1:100



Immunofluorescent analysis of U251 cells using TA386985 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



Immunohistochemistry of paraffin-embedded human colon cancer using TA386985 at dilution of 1:100



Western Blot  
 Positive WB detected in: HEK293 whole cell lysate, HeLa whole cell lysate, Mouse heart tissue, Mouse lung tissue, Mouse kidney tissue  
 All lanes: FOXK1 antibody at 2.5µg/ml  
 Secondary  
 Goat polyclonal to rabbit IgG at 1/50000 dilution  
 Predicted band size: 76, 60 kDa  
 Observed band size: 76 kDa