

## Product datasheet for **TA387006**

### CDSN Rabbit Polyclonal Antibody


#### Product data:

|                       |  |
|-----------------------|--|
| Product Type:         | Primary Antibodies   |
| Applications:         | IF, IHC, WB  |
| Recommended Dilution: | Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200, IF:1:50-1:200            |
| Reactivity:           | Mouse, Human   |
| Host:                 | Rabbit   |
| Isotype:              | IgG  |
| Clonality:            | Polyclonal   |
| Immunogen:            | Recombinant Human Corneodesmosin protein (40-229AA)                              |
| Formulation:          | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Concentration:        | lot specific   |
| Purification:         | >95%, Protein G purified   |
| Conjugation:          | Unconjugated   |
| Storage:              | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                    |
| Stability:            | 1 year from dispatch.  |
| Database Link:        | <a href="#">Q15517</a>   |
| Background:           | Important for the epidermal barrier integrity.                                   |



[View online »](#)

## Product images:



## Western Blot

Positive WB detected in: Mouse liver tissue,  
Mouse kidney tissue, MCF-7 whole cell lysate


All lanes: CDSN antibody at 3 $\mu$ g/ml

Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 52 kDa

Observed band size: 52, 36 kDa



Immunofluorescent analysis of HepG2 cells using  
TA387006 at dilution of 1:100 and Alexa Fluor  
488-conjugated AffiniPure Goat Anti-Rabbit  
IgG(H+L)



Immunohistochemistry of paraffin-embedded human lymph node tissue using TA387006 at dilution of 1:100