

Product datasheet for **TA387283**


TTC38 Rabbit Polyclonal Antibody

Product data:


| | |
|-----------------------|--|
| Product Type: | Primary Antibodies |
| Applications: | IHC, WB |
| Recommended Dilution: | Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200 |
| Reactivity: | Mouse, Human |
| Host: | Rabbit |
| Isotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Recombinant Human Tetratricopeptide repeat protein 38 protein (2-200AA) |
| Formulation: | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Concentration: | lot specific |
| Purification: | Antigen Affinity Purified |
| Conjugation: | Unconjugated |
| Storage: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Stability: | 1 year from dispatch. |
| Database Link: | Q5R3I4 |




[View online »](#)

Product images:

Immunohistochemistry of paraffin-embedded human prostate cancer using TA387283 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon cancer using TA387283 at dilution of 1:100



Western blot

All lanes: TTC38 antibody at 1.5 μ g/ml

Lane 1: U251 whole cell lysate

Lane 2: Mouse liver tissue

Lane 3: HepG2 whole cell lysate

Lane 4: K562 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 53 kDa

Observed band size: 53 kDa