

Product datasheet for TA387297

Product data:

Product Type: Primary Antibodies

HS2ST1 Rabbit Polyclonal Antibody

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200

Reactivity: Rat, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Heparan sulfate 2-O-sulfotransferase 1 protein (29-229AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Concentration: lot specific

Purification: >95%, Protein G purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: Q7LGA3

Background: Catalyzes the transfer of sulfate to the C2-position of selected hexuronic acid residues within

the maturing heparan sulfate (HS). 2-O-sulfation within HS, particularly of iduronate residues, is essential for HS to participate in a variety of high-affinity ligand-binding interactions and signaling processes. Mediates 2-O-sulfation of both L-iduronyl and D-glucuronyl residues (By

similarity).




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded human pancreatic tissue using TA387297 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human lung cancer using TA387297 at dilution of 1:100





Western Blot Positive WB detected in: Rat spleen tissue All lanes: HS2ST1 antibody at 2.7µg/ml Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 42, 35, 27 kDa Observed band size: 42 kDa