

Product datasheet for **TA387372**


SLC2A9 Rabbit Polyclonal Antibody

Product data:


| | |
|-----------------------|---|
| Product Type: | Primary Antibodies |
| Applications: | IHC, WB |
| Recommended Dilution: | Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200 |
| Reactivity: | Mouse, Human |
| Host: | Rabbit |
| Isotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | Recombinant Human Solute carrier family 2, facilitated glucose transporter member 9 protein (473-511AA) |
| Formulation: | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 |
| Concentration: | lot specific |
| Purification: | >95%, Protein G purified |
| Conjugation: | Unconjugated |
| Storage: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Stability: | 1 year from dispatch. |
| Database Link: | Q9NRM0 |
| Background: | Transport urate and fructose. May have a role in the urate reabsorption by proximal tubules. Also transports glucose at low rate. |




[View online »](#)

Product images:

Immunohistochemistry of paraffin-embedded human ovarian cancer using TA387372 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human kidney tissue using TA387372 at dilution of 1:100



Western Blot

Positive WB detected in: HepG2 whole cell lysate,
Mouse liver tissue

All lanes: SLC2A9 antibody at 2.7 μ g/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 59, 56 kDa

Observed band size: 59 kDa