

Product datasheet for TA387415M

NR2C1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Nuclear receptor subfamily 2 group C member 1 protein (1-240AA)

Formulation: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration: lot specific

Purification: Antigen Affinity Purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: P13056

Background: Orphan nuclear receptor. Binds the IR7 element in the promoter of its own gene in an

autoregulatory negative feedback mechanism. Primarily repressor of a broad range of genes. Binds to hormone response elements (HREs) consisting of two 5'-AGGTCA-3' half site direct repeat consensus sequences. Together with NR2C2, forms the core of the DRED (direct repeat erythroid-definitive) complex that represses embryonic and fetal globin transcription. Also

activator of OCT4 gene expression. May be involved in stem cell proliferation and differentiation. Mediator of retinoic acid-regulated preadipocyte proliferation.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Immunohistochemistry of paraffin-embedded human lung tissue using [TA387415] at dilution of 1:100



Western blot

All lanes: Nuclear receptor subfamily 2 group C

member 1 antibody at 10µg/ml Lane 1: PC-3 whole cell lysate Lane 2: 293T whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 68, 52, 54 kDa Observed band size: 68 kDa