

## Product datasheet for **TA387524**

### STRN Rabbit Polyclonal Antibody


#### Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human Striatin protein (581-780AA)
Formulation:	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Concentration:	lot specific
Purification:	Antigen Affinity Purified
Conjugation:	Unconjugated
Storage:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Stability:	1 year from dispatch.
Database Link:	<a href="#">O43815</a>
Background:	Calmodulin-binding protein which may function as scaffolding or signaling protein and may play a role in dendritic Ca <sup>2+</sup> signaling.




[View online »](#)


**Product images:**




Immunohistochemistry of paraffin-embedded human tonsil tissue using TA387524 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon tissue using TA387524 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon cancer using TA387524 at dilution of 1:100



Western blot  
All lanes: STRN antibody at 3 $\mu$ g/ml + NIH/3T3 whole cell lysate  
Secondary  
Goat polyclonal to rabbit IgG at 1/10000 dilution  
Predicted band size: 87, 81 kDa  
Observed band size: 87 kDa