

## **Product datasheet for TA387592M**

## **ACADSB Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200

Reactivity: Rat, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Short/branched chain specific acyl-CoA dehydrogenase, mitochondrial

protein (34-253AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

**Concentration:** lot specific

**Purification:** >95%, Protein G purified

Conjugation: Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: P45954

Background: Has greatest activity toward short branched chain acyl-CoA derivative such as (s)-2-

methylbutyryl-CoA, isobutyryl-CoA, and 2-methylhexanoyl-CoA as well as toward short straight chain acyl-CoAs such as butyryl-CoA and hexanoyl-CoA. Can use valproyl-CoA as substrate and may play a role in controlling the metabolic flux of valproic acid in the

development of toxicity of this agent.




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Immunohistochemistry of paraffin-embedded human lung cancer using [TA387592] at dilution of 1:100



Western Blot

Positive WB detected in: HEK293 whole cell lysate, HepG2 whole cell lysate, Rat liver tissue All lanes: ACADSB antibody at 3µg/ml Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 48, 37 kDa Observed band size: 48 kDa