

Product datasheet for TA387674M

PPP2R5C Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Serine/threonine-protein phosphatase 2A 56 kDa regulatory subunit

gamma isoform protein (1-320AA)

Formulation: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration: lot specific

Purification: Antigen Affinity Purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: Q13362

Background: The B regulatory subunit might modulate substrate selectivity and catalytic activity, and also

might direct the localization of the catalytic enzyme to a particular subcellular compartment. The PP2A-PPP2R5C holoenzyme may specifically dephosphorylate and activate TP53 and play

a role in DNA damage-induced inhibition of cell proliferation. PP2A-PPP2R5C may also

regulate the ERK signaling pathway through ERK dephosphorylation.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded human colon cancer using [TA387674] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human brain tissue using [TA387674] at dilution of 1:100





Western blot

All lanes: PPP2R5C antibody at 1.31µg/ml

Lane 1: MM231 whole cell lysate Lane 2: K562 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 62, 53, 57, 63, 65 kDa

Observed band size: 62 kDa