

## **Product datasheet for TA387695**

## **ACSM3 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200

**Reactivity:** Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Acyl-coenzyme A synthetase ACSM3, mitochondrial protein (387-586AA)

**Formulation:** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:** lot specific

**Purification:** Antigen Affinity Purified

Conjugation: Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: Q53FZ2

Background: Has medium-chain fatty acid:CoA ligase activity with broad substrate specificity (in vitro). Acts

on acids from C4 to C(11) and on the corresponding 3-hydroxy- and 2,3- or 3,4-unsaturated

acids (in vitro) (By similarity).




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human breast cancer using TA387695 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon cancer using TA387695 at dilution of 1:100





Western blot

All lanes: Acyl-coenzyme A synthetase ACSM3, mitochondrial antibody at  $10\mu g/ml$ 

Lane 1: 293T whole cell lysate

Lane 2: Mouse kidney tissue

Lane 3: A431 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 67, 50 kDa Observed band size: 67 kDa