

## Product datasheet for TA387770M

## **GFM2** Rabbit Polyclonal Antibody

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

Reactivity: Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: Recombinant Human Ribosome-releasing factor 2, mitochondrial protein (520-779AA)

Formulation: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration: lot specific

**Purification:** Antigen Affinity Purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: 096959

Background: Mitochondrial GTPase that mediates the disassembly of ribosomes from messenger RNA at

> the termination of mitochondrial protein biosynthesis. Acts in collaboration with MRRF. GTP hydrolysis follows the ribosome disassembly and probably occurs on the ribosome large subunit. Not involved in the GTP-dependent ribosomal translocation step during translation

elongation.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human colon cancer using [TA387770] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human kidney tissue using [TA387770] at dilution of 1:100





Western blot All lanes: GFM2 antibody at 3.24µg/ml + Jurkat whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 87, 82, 68, 58 kDa Observed band size: 87 kDa