

## **Product datasheet for TA387776**

## **MTERF3 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Transcription termination factor 3, mitochondrial protein (69-300AA)

**Formulation:** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:** lot specific

**Purification:** Antigen Affinity Purified

**Conjugation:** Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: Q96E29

**Background:** Binds promoter DNA and regulates initiation of transcription. Required for normal

mitochondrial transcription, and for normal assembly of mitochondrial respiratory

complexes. Required for normal mitochondrial function (By similarity).




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human brain tissue using TA387776 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human gastric cancer using TA387776 at dilution of 1:100





Western blot

All lanes: MTERFD1 antibody at 3.94µg/ml

Lane 1: U251 whole cell lysate Lane 2: 293T whole cell lysate Lane 3: Hela whole cell lysate Lane 4: K562 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 48, 38, 35 kDa

Observed band size: 48 kDa