

## Product datasheet for **TA387799M**

### UBXN6 Rabbit Polyclonal Antibody


#### Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200
Reactivity:	Mouse, Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human UBX domain-containing protein 6 protein (1-388AA)
Formulation:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Concentration:	lot specific
Purification:	>95%, Protein G purified
Conjugation:	Unconjugated
Storage:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Stability:	1 year from dispatch.
Database Link:	<a href="#">Q9BZV1</a>
Background:	Acts in a complex with VCP and cooperates with USP7 in promoting MDM2 deubiquitination and stabilization. MDM2 stabilization leads to MDM2-dependent TP53 degradation.




[View online »](#)


## Product images:



Immunohistochemistry of paraffin-embedded human skin tissue using [TA387799] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human testis tissue using [TA387799] at dilution of 1:100



**Western blot**

All lanes: UBXN6 antibody at 1.2µg/ml

Lane 1: PC-3 whole cell lysate

Lane 2: Hela whole cell lysate

Lane 3: Mouse kidney tissue

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 50, 44 kDa

Observed band size: 50 kDa