

## Product datasheet for TA387823M

## **SCUBE2 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:200-1:500

Reactivity: Rat, Human

Rabbit Host: Isotype: lgG

Clonality: Polyclonal

Immunogen: Recombinant Human Signal peptide, CUB and EGF-like domain-containing protein 2 protein

(534-703AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Concentration: lot specific

**Purification:** >95%, Protein G purified

Conjugation: Unconjugated

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Storage:

1 year from dispatch. Stability:

Database Link: Q9NQ36

Background: cell surface, extracellular region, extracellular space, cell differentiation, signal transduction




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## **Product images:**



Western Blot
Positive WB detected in: HT29 whole cell lysate,
Rat spleen tissue
All lanes: SCUBE2 antibody at 8.7µg/ml
Secondary
Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 110, 107, 89 kDa Observed band size: 110, 89 kDa



IHC image of [TA387823] diluted at 1:400 and staining in paraffin-embedded human lung tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.