

Product datasheet for TA387874M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CEP83 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200, IF:1:50-1:200

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Centrosomal protein of 83 kDa protein (34-260AA)

Formulation: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration: lot specific

Purification: Antigen Affinity Purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.


Database Link: Q9Y592

Background: Component of the distal appendage region of the centriole involved in the initiation of


primary cilium assembly. May collaborate with IFT20 in the trafficking of ciliary membrane proteins from the Golgi complex to the cilium during the initiation of primary cilium assembly.



Product images:




Immunohistochemistry of paraffin-embedded human kidney tissue using [TA387874] at dilution of 1:100




Immunofluorescent analysis of PC-3 cells using [TA387874] at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)





Immunohistochemistry of paraffin-embedded human brain tissue using [TA387874] at dilution of 1:100



Western blot All lanes: CEP83 antibody at 2.41 µg/ml + Raji whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 83, 68 kDa Observed band size: 83, 55 kDa