

Product datasheet for TA387918M

SUOX Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

Reactivity: Rat, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Sulfite oxidase, mitochondrial protein (80-545AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Concentration: lot specific

Purification: >95%, Protein G purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: P51687

Background: Sulfite oxidase is a homodimeric protein localized to the intermembrane space of

mitochondria. Each subunit contains a heme domain and a molybdopterin-binding domain. The enzyme catalyzes the oxidation of sulfite to sulfate, the final reaction in the oxidative degradation of the sulfur amino acids cysteine and methionine. Sulfite oxidase deficiency results in neurological abnormalities which are often fatal at an early age. Alternative splicing

results in multiple transcript variants encoding identical proteins.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded human liver tissue using [TA387918] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human kidney tissue using [TA387918] at dilution of 1:100





Western blot All lanes: SUOX antibody at $2\mu g/ml + Rat$ liver tissue Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution

Predicted band size: 61 kDa Observed band size: 61 kDa