

## **Product datasheet for TA387935**

## Product datasneet for TA38/933

## **DEDD Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200

**Reactivity:** Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Death effector domain-containing protein (1-318AA)

**Formulation:** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:** lot specific

**Purification:** Antigen Affinity Purified

Conjugation: Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: 075618

**Background:** A scaffold protein that directs CASP3 to certain substrates and facilitates their ordered

degradation during apoptosis. May also play a role in mediating CASP3 cleavage of KRT18. Regulates degradation of intermediate filaments during apoptosis. May play a role in the general transcription machinery in the nucleus and might be an important regulator of the

activity of GTF3C3. Inhibits DNA transcription in vitro (By similarity).




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human prostate cancer using TA387935 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human testis tissue using TA387935 at dilution of 1:100





Western blot

All lanes: DEDD antibody at 0.56µg/ml

Lane 1: Mouse lung tissue Lane 2: Mouse thymus tissue

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 37, 41 kDa Observed band size: 37 kDa