

## Product datasheet for TA387975M

## **CLGN Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200

**Reactivity:** Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Calmegin protein (200-400AA)

**Formulation:** Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

**Concentration:** lot specific

**Purification:** >95%, Protein G purified

**Conjugation:** Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: <u>O14967</u>

**Background:** Functions during spermatogenesis as a chaperone for a range of client proteins that are

important for sperm adhesion onto the egg zona pellucida and for subsequent penetration of the zona pellucida. Required for normal sperm migration from the uterus into the oviduct.

Required for normal male fertility. Binds calcium ions.




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human testis tissue using [TA387975] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human endometrial cancer using [TA387975] at dilution of 1:100





Western blot

All lanes: CLGN antibody at 7µg/ml

Lane 1: Mouse brain tissue

Lane 2: Mouse lung tissue

Lane 3: Jurkat whole cell lysate

Lane 4: HepG2 whole cell lysate

Lane 5: PC-3 whole cell lysate

Lane 6: Hela whole cell lysate

Lane 7: HL60 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 71, 47 kDa Observed band size: 80 kDa