

## **Product datasheet for TA388132**

## Product datasileet for TAS66152

## **PXK Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200

**Reactivity:** Mouse, Rat, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human PX domain-containing protein kinase-like protein (1-200AA)

**Formulation:** Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

**Concentration:** lot specific

**Purification:** >95%, Protein G purified

**Conjugation:** Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: Q7Z7A4

**Background:** Binds to and modulates brain Na,K-ATPase subunits ATP1B1 and ATP1B3 and may thereby

participate in the regulation of electrical excitability and synaptic transmission. May not

display kinase activity.




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human tonsil tissue using TA388132 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using TA388132 at dilution of 1:100





Western Blot

Positive WB detected in: HEK293 whole cell lysate, A549 whole cell lysate, Mouse brain tissue, Mouse heart tissue, Rat brain tissue All lanes: PXK antibody at 2.7µg/ml Secondary
Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 65, 59, 39, 63, 50, 61, 56 kDa

Observed band size: 65 kDa