

Product datasheet for **TA388225M**

TGS1 Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200
Reactivity:	Mouse, Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human Trimethylguanosine synthase protein (714-853AA)
Formulation:	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Concentration:	lot specific
Purification:	Antigen Affinity Purified
Conjugation:	Unconjugated
Storage:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Stability:	1 year from dispatch.
Database Link:	Q96RS0
Background:	Catalyzes the 2 serial methylation steps for the conversion of the 7-monomethylguanosine (m7G) caps of snRNAs and snoRNAs to a 2,2,7-trimethylguanosine (m(2,2,7)G) cap structure. The enzyme is specific for guanine, and N7 methylation must precede N2 methylation. Hypermethylation of the m7G cap of U snRNAs leads to their concentration in nuclear foci, their colocalization with coilin and the formation of canonical Cajal bodies (CBs). Plays a role in transcriptional regulation.




[View online »](#)


Product images:




Immunohistochemistry of paraffin-embedded human colon cancer using [TA388225] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human lung tissue using [TA388225] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human placenta tissue using [TA388225] at dilution of 1:100



Western blot
All lanes: TGS1 antibody at 10 μ g/ml + Mouse skeletal muscle tissue
Secondary
Goat polyclonal to rabbit IgG at 1/10000 dilution
Predicted band size: 97 kDa
Observed band size: 97 kDa