

## **Product datasheet for TA388332M**

## **MCAT Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200

**Reactivity:** Mouse, Rat, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Malonyl-CoA-acyl carrier protein transacylase, mitochondrial protein

(22-117AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

**Concentration:** lot specific

**Purification:** >95%, Protein G purified

Conjugation: Unconjugated

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.

Database Link: Q8IVS2

**Background:** Catalyzes the transfer of a malonyl moiety from malonyl-CoA to the free thiol group of the

phosphopantetheine arm of the mitochondrial ACP protein (NDUFAB1). This suggests the

existence of the biosynthesis of fatty acids in mitochondrias.


**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded human liver tissue using [TA388332] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human adrenal gland tissue using [TA388332] at dilution of 1:100





Western Blot

Positive WB detected in: Rat heart tissue, Mouse

liver tissue

All lanes: MCAT antibody at 2.5µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 43, 20 kDa Observed band size: 43 kDa