

Product datasheet for TA388490

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SLFN11 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Recommended dilution: WB:1:500-1:5000, IHC:1:100-1:500, IF:1:50-1:500

Reactivity: Mouse, Human

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant Human Schlafen family member 11 protein (670-821AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Concentration: lot specific

Purification: >95%, Protein G purified

Conjugation: Unconjugated

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Stability: 1 year from dispatch.

Database Link: Q7Z7L1

Background: Interferon (IFN)-induced antiviral protein which acts as an inhibitor of retrovirus protein


synthesis. Specifically abrogates the production of retroviruses such as human immunodeficiency virus 1 (HIV-1) by acting as a specific inhibitor of the synthesis of retroviruses encoded proteins in a codon-usage-dependent manner. Binds to tRNAs and exploits the unique viral codon bias towards A/T nucleotides. The exact inhibition mechanism is unclear: may either sequesters tRNAs, prevents their maturation via post-transcriptional processing or accelerates their deacylation. Does not inhibit reverse transcription, integration or production and nuclear export of viral RNA. May play a role in cell cycle arrest and/or

induction of apoptosis in response to exogenously induced DNA damage.






Product images:




Immunohistochemistry of paraffin-embedded human pancreatic tissue using TA388490 at dilution of 1:100



Immunofluorescent analysis of Hela cells using TA388490 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)





Western Blot

Positive WB detected in: Mouse skeletal muscle

tissue

All lanes: SLFN11 antibody at 2.8µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 103 kDa Observed band size: 103 kDa