

# Product datasheet for TA388490M

## **SLFN11 Rabbit Polyclonal Antibody**

### **Product data:**

#### **OriGene Technologies, Inc.**

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IF, IHC, WB
Recommended Dilution:	Recommended dilution: WB:1:500-1:5000, IHC:1:100-1:500, IF:1:50-1:500
Reactivity:	Mouse, Human
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Recombinant Human Schlafen family member 11 protein (670-821AA)
Formulation:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Concentration:	lot specific
Purification:	>95%, Protein G purified
Conjugation:	Unconjugated
Storage:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Stability:	1 year from dispatch.
Database Link:	<u>Q7Z7L1</u>
Background:	Interferon (IFN)-induced antiviral protein which acts as an inhibitor of retrovirus protein synthesis. Specifically abrogates the production of retroviruses such as human immunodeficiency virus 1 (HIV-1) by acting as a specific inhibitor of the synthesis of retroviruses encoded proteins in a codon-usage-dependent manner. Binds to tRNAs and exploits the unique viral codon bias towards A/T nucleotides. The exact inhibition mechanism is unclear: may either sequesters tRNAs, prevents their maturation via post-transcriptional processing or accelerates their deacylation. Does not inhibit reverse transcription, integration


or production and nuclear export of viral RNA. May play a role in cell cycle arrest and/or

induction of apoptosis in response to exogenously induced DNA damage.




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US SLFN11 Rabbit Polyclonal Antibody – TA388490M

### **Product images:**




Immunohistochemistry of paraffin-embedded human pancreatic tissue using [TA388490] at dilution of 1:100



Immunofluorescent analysis of Hela cells using [TA388490] at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Western Blot Positive WB detected in: Mouse skeletal muscle tissue All lanes: SLFN11 antibody at 2.8µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 103 kDa Observed band size: 103 kDa

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US