

## Product datasheet for **TA388503M**

### **NIM1K Rabbit Polyclonal Antibody**


#### **Product data:**

|                       |  |
|-----------------------|--|
| Product Type:         | Primary Antibodies   |
| Applications:         | IHC, WB  |
| Recommended Dilution: | Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200                           |
| Reactivity:           | Human  |
| Host:                 | Rabbit   |
| Isotype:              | IgG  |
| Clonality:            | Polyclonal   |
| Immunogen:            | Recombinant Human Serine/threonine-protein kinase NIM1 protein (1-436AA)         |
| Formulation:          | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Concentration:        | lot specific   |
| Purification:         | >95%, Protein G purified   |
| Conjugation:          | Unconjugated   |
| Storage:              | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                    |
| Stability:            | 1 year from dispatch.  |
| Database Link:        | <a href="#">Q8IY84</a>   |




[View online »](#)


## Product images:



Immunohistochemistry of paraffin-embedded human brain tissue using [TA388503] at dilution of 1:100



Immunohistochemistry of paraffin-embedded human glioma using [TA388503] at dilution of 1:100



**Western blot**

All lanes: NIM1K antibody at 2 $\mu$ g/ml

Lane 1: Jurkat whole cell lysate

Lane 2: HepG2 whole cell lysate

Lane 3: COLO205 whole cell lysate

**Secondary**

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 50 kDa

Observed band size: 50 kDa