

## Product datasheet for **TA388822M**

### **TMC05A Rabbit Polyclonal Antibody**


#### **Product data:**

|                       |   |
|-----------------------|---|
| Product Type:         | Primary Antibodies  |
| Applications:         | IF, IHC, WB   |
| Recommended Dilution: | Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200, IF:1:50-1:200                            |
| Reactivity:           | Human   |
| Host:                 | Rabbit  |
| Isotype:              | IgG   |
| Clonality:            | Polyclonal  |
| Immunogen:            | Recombinant Human Transmembrane and coiled-coil domain-containing protein 5A protein (10-192AA) |
| Formulation:          | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, PH 7.4                |
| Concentration:        | lot specific  |
| Purification:         | >95%, Protein G purified  |
| Conjugation:          | Unconjugated  |
| Storage:              | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                                   |
| Stability:            | 1 year from dispatch.   |
| Database Link:        | <a href="#">Q8N6Q1</a>  |




[View online »](#)


## Product images:



Immunohistochemistry of paraffin-embedded human testis tissue using [TA388822] at dilution of 1:100



Immunofluorescent analysis of MCF-7 cells using [TA388822] at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



Western blot

All lanes: TMCO5A antibody at 6µg/ml + MCF-7 whole cell lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 35, 27 kDa

Observed band size: 35 kDa