

## **Product datasheet for TA388874**

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **LRTM1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IF, IHC, WB

Recommended Dilution: Recommended dilution: WB:1:1000-1:5000, IHC:1:20-1:200, IF:1:10-1:100

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Recombinant Human Leucine-rich repeat and transmembrane domain-containing protein 1

protein (1-212AA)

Formulation: Preservative: 0.03% Proclin 300

Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

**Concentration:** lot specific

**Purification:** Antigen Affinity Purified

Conjugation: Unconjugated


**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

**Stability:** 1 year from dispatch.


Database Link: Q9HBL6



## **Product images:**




Immunohistochemistry of paraffin-embedded human pancreatic cancer using TA388874 at dilution of 1:100



Immunofluorescence staining of Hela cells with TA388874 at 1:13, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).





Western blot All lanes: LRTM1 antibody at 0.4µg/ml + K562 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 39, 30 kDa

Observed band size: 39 kDa