

Product datasheet for **TA389721**

DOCK3 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB,1:500 - 1:1000
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Formulation:	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Concentration:	lot specific
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	dedicator of cytokinesis 3
Database Link:	Entrez Gene 1795 Human Q8IZD9

Background: This gene is specifically expressed in the central nervous system (CNS). It encodes a member of the DOCK (dedicator of cytokinesis) family of guanine nucleotide exchange factors (GEFs). This protein, dedicator of cytokinesis 3 (DOCK3), is also known as modifier of cell adhesion (MOCA) and presenilin-binding protein (PBP). The DOCK3 and DOCK1, -2 and -4 share several conserved amino acids in their DHR-2 (DOCK homology region 2) domains that are required for GEF activity, and bind directly to WAVE proteins [Wiskott-Aldrich syndrome protein (WASP) family Verprolin-homologous proteins] via their DHR-1 domains. The DOCK3 induces axonal outgrowth in CNS by stimulating membrane recruitment of the WAVE complex and activating the small G protein Rac1. This gene is associated with an attention deficit hyperactivity disorder-like phenotype by a complex chromosomal rearrangement.

Synonyms: KIAA0299; MOCA; PBP



[View online »](#)